

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	encode with URL with (time or charge\$4) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:32
L5	12	encode with URL with (time or charge\$4) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:32
L6	3339	((encode or contain or insert) NEAR2 URL) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:35
L7	783	((encode or contain or insert) NEAR2 URL) with information and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:35
L8	48	((encode) NEAR2 URL) with information and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 08:36
L9	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L10	1297	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L11	11	binary with sequence with character with concat\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

L12	6	binary with sequence with character with concat\$8 and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L13	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L14	161	represent with binary with (sequence or string) with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L15	34	represent near3 binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L16	0	(ad or advertisement) with click with encode with URL and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L17	0	(ad or advertisement) with click same (encode with URL) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L18	147	(ad or advertisement) with click with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L19	0	(ad or advertisement) with click with intermediate with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

L20	0	(ad or advertisement) with click with url same (intermediate with track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L21	2	(ad or advertisement) with click with url same (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L22	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L23	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L24	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L25	0	((ad or advertisement) with click with redirect) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L26	0	((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L27	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

L28	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L29	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L30	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L31	496113	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L32	11149	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L33	17976	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L34	502093	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L35	17976	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28

L36	40	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L37	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L38	27	represent near3 binary with (sequence or string) near3 character and @ad<"20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L39	26	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L40	134	(represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
L41	8	store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/07/02 11:28
S1	0	binary with sequence with concatenate with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02
S2	1248	binary with sequence with character	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02

S3	11	binary with sequence with character with concat\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:02
S4	6	binary with sequence with character with concat\$8 and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:06
S5	25	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:06
S6	162	represent with binary with (sequence or string) with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 10:11
S7	34	represent near3 binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:08
S8	0	(ad or advertisement) with click with encode with URL and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:52
S9	0	(ad or advertisement) with click same (encode with URL) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:52
S10	143	(ad or advertisement) with click with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:54

S11	0	(ad or advertisement) with click with intermediate with url and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:54
S12	0	(ad or advertisement) with click with url same (intermediate with track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:55
S13	1	(ad or advertisement) with click with url same (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 14:58
S14	0	(ad or advertisement) with click with url same (track) and (intermediate near3 server) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:07
S15	1	((ad or advertisement) with click with redirect with (proxy or intermediate)) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:09
S16	0	((ad or advertisement) with click with redirect) and (track same statistics) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12
S17	0	((ad or advertisement) with click with redirect) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:11
S18	0	((ad or advertisement) with click with re-direct) and (track) @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12

S19	0	((ad or advertisement) with click with redirect) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:12
S20	1	((ad or advertisement) with click with re-direct) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S21	1	((ad or advertisement) with click with (re-direct or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S22	1	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track same statistics) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:18
S23	457051	microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S24	10551	micro-processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:16
S25	16850	micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15
S26	462573	micro-processor or microprocessor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:15

S27	16850	micro-processor or micro processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:16
S28	40	((ad or advertisement) with click with (re-direct or redirect or redirect)) and (track) and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:20
S29	0	((ad or advertisement) with click with (re-direct or redirect or redirect)) with intermediate and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/10 15:20
S30	27	represent near3 binary with (sequence or string) near3 character and @ad<"20030124"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:05
S31	25	convert with binary with sequence with character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:07
S32	136	(represent or convert) with binary with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:11
S33	8	store near4 (binary data) with (sequence or string) near3 character and @ad<"20031229"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/11 11:11

7/ 2/ 2008 11:37:36 AM

C:\Documents and Settings\wnoonan\My Documents\EAST\Workspaces\10749110 Ad encode URL.wsp